Wednesday, 11/21/2007 12:47:38 PM Kim Johnston

Date: User **Process Sheet** : SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 35916 **Estimate Number** : 10531 A14: : D2572 Part Number P.O. Number S.O. No. : NA · D2572 REV E This Issue : 11/21/2007 **Drawing Number** : N/A Prsht Rev. Project Number : MACHINED PARTS First Issue **Drawing Revision** : 34813 Material **Previous Run** : 1/15/2008 **Due Date** Qty: 12 Um: Each Written By Checked & Approved By Re-format; Change to Dwg Rev. D & : Est: | 02.19.02 Comment incorporated D2572 KJ **Additional Product**

Job Number:

1.0



Machine Or Operation: Seq. #: D6101005

Description: 7075-T7351 8.25X5.0X2.5

12.0000 Each(s)

Comment: Qty.: 1.0000 Each(s)/Unit 7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2572

Ensure that grain is along 5.00" length Batch No: 133/388

HAAS1 HAAS CNC VERTICAL MACHINING

07/12/27

2.0

Total:

Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. 35916 Double check by: DIF

> 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks
- 5-Tumble to remove shap edges.

CONVENTIONAL MILLING MAC


3.0

MILLING CONV.



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2571 & D2572




QC2 4.0



Comment: INSPECT PARTS AS THEY COME OFF MACHINE







Dart Aerospace Ltd

W/O:			WORK ORDER CH	HANGES				
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·		·				
,		* !**	•					
							;	
							·	
Part No	:	PAR #:	Fault Category:	NCR: Yes	No DQ	A: A	Date: _	oslovi

QA: N/C Closed: ____ Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)													
		Description of NC		Corrective Action Section E	Verification	Approval	Approval								
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC inspecto							
		<i>.</i>				-									
•				•											
					;										

NOTE: Date & initial all entries

Wednesday, 11/21/2007 12:47:38 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 35916 Part Number: D2572 Job Number: Description: Seq. #: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING 102316 Comment: POWDER COATING Powder Coat **SANDTEX GREEN** (Ref: 4.3.5.1) as per QSI 005 4.3 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT - OL PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE u 28.01.11 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	ANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				<u> </u>			
Part No	:	PAR #: Fault Category:	NCR: Ye	s No D	QA:	Date:	
			QA:	N/C Clos	sed:	Date: _	
NCR:		WORK ORDER NON-CONFO	RMANCE (NO	R)			
	T	Compating Astion					T

NCR:			WORK ORDER NON-CONFORMANCE (NCR)													
		Description of NC		Corrective Action Section B	Verification	Approval	Approval									
DATE	STEP	Section A	Initial Chief Eng	Action Description S Chief Eng		Section C	Approval Chief Eng	QC Inspector								
-																
				·												
			·	· · · · · · · · · · · · · · · · · · ·												
		·														

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	35916
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Re	corded Acti	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.440	441	.441	.44/		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	3.495	3.505		3,500	3,500	7.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.001	8.000	8.000		
F	0.490	0.510		0.498	.495	-5-00	500		
G	0.257	0.262	D1 8683	0.260	-218	.258	.250		
H	0.375	0.380	DT8684	0.376	-377	(52)	.377		-
- 1	0.490	0.510		0.500	500	.500	,500		
J	1.174	1.184		1.178	1.180	1,180	1,180		
K	0.558	0.578		0.567	.567	.577	570		
L	1.174	1.184		1.178	1.180	1,180	1.180		
M	1.490	1.500		1.493	1,500	1.500	1.500		
N	2.495	2.505		2,500	2.500	2500	2.500		
0	3.869	3.879		3.872	3.872	3.872	3.872		
Р	0.115	0.135		0.126	.126	-128	.128		,
Q	0.115	0.135		0.135	130	./32	132		
R	0.240	0.260		0.249	,250	.252	.252		
s	0.115	0.135		0,134	,134	./3/	-13/	1	
Т	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2-960	2.960	2-950		
V	0.230	0.250		0,233	.330	.245	.247		
W	0.115	0.135		0.122	,125	125	.125		
Χz	0.307	0.312		0.311	,34	.311	1.311		
Υ	0.760	0.765		0.760	.760	,760	760		,
Z	0.352	0.372		0.358	.358	-388	358		
AA	0.470	0.530		0.500	0.500	0.500	0.506		
AB	0.615	0.635		0.627	.629	,629	.629		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.241	-241	-250	.200		
AE	1.375	1.395		1.387	1390	1.390	1.380		
AF	0.115	0.135		0.135	-131-	135	-/35		
AG	0.240	0.280		0.260	210	260	.260		
АН	0.240	0.260		0.247	-248	,250	,25/9		
Al	2.000	2.020		2.001	2.001	2.660	2.000		
AJ	0.023	0.043		0.033	633	(033	.033		
	Acc	ept/Reje	ct		-				

Measured by:	and	1 88	Audited by	Z V	
Date:	03/02/02/	08/01/03	Date:	05,01	104

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	- 1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	Gill

DART AEROSPACE LTD	Work Order:	35916
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Re	corded Acti	ual Dimensi	ons		······································
Dim	Min	Max	Go/No Go Gauge	5 4	11	74	14	Ву	Date
Α	0.438	0.443	D.F8682	.441	0.440	,441	. 441		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	3.495	3.505		3.500	3,506	3,500	3.500		
D	1.745	1.755		1.750	1:750	1.750	1,750		
Е	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		.5-00	0.500	502	.502		
G	0.257	0.262	D18683	. 260	.260	,260	,260		
Н	0.375	0.380	- DT8684-	.376	.377	-377	.377		
	0.490	0.510		.500	, 500	,500	0.499		
J	1.174	1.184		1.180	1.180	6180	1.180		
K	0.558	0.578		.568	-568	.568	0.570		
L	1.174	1.184		1.180	1.180	1.180	1.180		
М	1.490	1.500		1.500	1.500	1.500	1.500		
N	2.495	2.505·		2.500	2.500	2.500	2.500		
0	3.869	3.879		3.874	3,874	3.874	3.874		
Р	0.115	0.135		125	126	-126	-126		. '
Q	0.115	0.135		-125	-125	-125	0.135		
R	0.240	0.260		.250	.250	. 250	,250		
S	0.115	0.135		-125	-125	-125	0.129		
T	0.178	0.198		.188	.188	.188	188		
U	2.940	2.980		2.963	2.963	2.960	2963		
V	0.230	0.250		,240	1240	.240	0.238		
W	0.115	0.135		-125	125	. 125	.131		· · · · · · · · · · · · · · · · · · ·
Х	0.307	0.312		.31/	0.309	.3/0	.3/0	,	
Υ	0.760	0.765		.765	0.7/00		760		
Z	0.352	0.372		,360	0:364	0.367	.365		
AA	0.470	0.530		-500	,500	.500	.500		
AB	0.615	0.635		1629	0.627	0.627	.627		
AC	0.053	0.073		.063	-863	,063	0.063		
AD	0.240	0.260		.250	.250	. 210	0.245		
ΑE	1.375	1.395		1.345	1385	1.381	1.388		
AF	0.115	0.135		.125	.125	125	0.135		-
AG	0.240	0.280		.260	.260	. 200	.260		
AH	0.240	0.260		,250	.250	- 250	0.247		
ΑI	2.000	2.020		2-000	2-800	2.000	2.00.2		
AJ	0.023	0.043		.033	10.033	· D3 3	.033		
	Acc	ept/Reje	ct						

Measured by:	3/	₽	,	1 -ml	Audited by	<	Λ	,	
Date:	07/	12/29	7	08/01/02	Date:	 0	Ź	101/04	

Rev	Date	Change	Revised by	Approved
Α	•	New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	· KJ	, , , , , , , , , , , , , , , , , , , ,
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM A	all
			111	7~1

DART AEROSPACE LTD	Work Order:	35916
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

		-		Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	93	210	3/11	X12	Ву	Date
Α	0.438	0.443	■DT8682	,441	.441	.441	.441		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	3.495	3.505		3.500	3500	3.500	3,500		
D	1.745	1.755		1.750	1.750	1,750	1,700		
E	7.990	8.010		B,000	8,000	8.000	8,000		
F	0.490	0.510		,505	.505	.505	,502		
G	0.257	0.262	. D∓8683	260	.240	.260	,260		
Н	0.375	0.380	DT8684	-371	0.377	.377	.370		
1	0.490	0.510		0.500	0.500	400	.500		
J	1.174	1.184		1.180	1.179	1179	1.180		
K	0.558	0.578		6.570	.570	,570	.570		
L	1.174	1.184		1-580	1.179	1.179	4180		
M	1.490	1.500		1.500	1.495	1.495	1.500		
N	2.495	2.505		2-500	2.500	2.500	2.500		
0	3.869	3.879		3. 874	3.873	3.873	3.873		
Р	0.115	0.135		.125	125	,125	.125		
Q	0.115	0.135		0.135	0135	.136	.135		
R	0.240	0.260		.200	.250	,250	,247		
S	0.115	0.135		0,131	6129	,129	1129		
Т	0.178	0.198		1188	.188	./88	. /&\$		
U	2.940	2.980		2-963	2.961	2,963	2-963		
V	0.230	0.250		0.235	1,237	,240	,240		
W	0.115	0.135	,	.135	.135	.135	.135		
X	0.307	0.312		.311	.310	-310	310		
Υ	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372	_	. 360	.360	.360	1360		
AA	0.470	0.530		,500	.500	. 500	.506		
AB	0.615	0.635		.630	.630	, 630	600		
.AC	0.053	0.073		.063	.063	0.063	.063		
ÀD	0.240	0.260		.246	.246	-250	.250		
AE	1.375	1.395		1.388	1.386	1.386	1.386		
AF	0.115	0.135		0.135	.,35	-138	.131		
AG	0.240	0.280		.260	255	. 260	. 260		
AH	0.240	0.260		0.245	.246	. 246	,250		,
Ai	2.000	2.020		2,002	2,000	2.000	2,000		
AJ	0.023	0.043		.033	.033	٠٥٦٦	E (0,		
	Acc	ept/Reje	ct						

Measured by: SF,	Inf.	Audited by	12	
Date: 07/12/3/	08/01/02	Date:	081	01/04

Date	Change	Revised by	Approved
	New Issue	RF	
02.09.24	Re-format; Added Rev. D	KJ	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
05.05.05	Added dimension Al	KJ/RF	- 1
05.12.05	Added dimension AJ	KJ/JLM A	all
	02.09.24 02.10.11 05.05.05	New Issue 02.09.24 Re-format; Added Rev. D 02.10.11 Re-format; Added DT8682, DT8683, DT8684 05.05.05 Added dimension Al	New Issue RF 02.09.24 Re-format; Added Rev. D KJ 02.10.11 Re-format; Added DT8682, DT8683, DT8684 KJ 05.05.05 Added dimension Al KJ/RF

